

days after receiving the written notification of the withdrawal. The appeal must state all of the facts and reasons upon which the person relies to show that the certificate or limited permit was wrongfully withdrawn. As promptly as circumstances allow, the Administrator will grant or deny the appeal, in writing, stating the reasons for the decision. A hearing will be held to resolve any conflict as to any material fact. Rules of practice concerning a hearing will be adopted by the Administrator.

(Approved by the Office of Management and Budget under control number 0579-0088)

[58 FR 8521, Feb. 16, 1993, as amended at 59 FR 67609, Dec. 30, 1994; 66 FR 21053, Apr. 27, 2001]

§ 301.93-6 Compliance agreements and cancellation.

(a) Any person engaged in growing, handling, or moving regulated articles may enter into a compliance agreement to facilitate the interstate movement of regulated articles under this subpart.⁵

(b) Any compliance agreement may be canceled orally or in writing by an inspector whenever the inspector finds that the person who has entered into the compliance agreement has failed to comply with this subpart. If the cancellation is oral, the cancellation and the reasons for the cancellation will be confirmed in writing as promptly as circumstances allow. Any person whose compliance agreement has been canceled may appeal the decision, in writing, within 10 days after receiving written notification of the cancellation. The appeal must state all of the facts and reasons upon which the person relies to show that the compliance agreement was wrongfully canceled. As promptly as circumstances allow, the Administrator will grant or deny the appeal, in writing, stating the reasons for the decision. A hearing will be held

to resolve any conflict as to any material fact. Rules of practice concerning a hearing shall be adopted by the Administrator.

[58 FR 8521, Feb. 16, 1993, as amended at 59 FR 67609, Dec. 30, 1994]

§ 301.93-7 Assembly and inspection of regulated articles.

(a) Any person (other than a person authorized to issue certificates or limited permits under § 301.93-5(c)), who desires to move a regulated article interstate accompanied by a certificate or limited permit must notify an inspector⁶ as far in advance of the desired interstate movement as possible (but no less than 48 hours before the desired interstate movement).

(b) The regulated article must be assembled at the place and in the manner the inspector designates as necessary to comply with this subpart.

§ 301.93-8 Attachment and disposition of certificates and limited permits.

(a) A certificate or limited permit required for the interstate movement of a regulated article, at all times during the interstate movement, must be attached to the outside of the container containing the regulated article, attached to the regulated article itself if not in a container, or attached to the consignee's copy of the accompanying waybill: *Provided however*, That the requirements of this section may be met by attaching the certificate or limited permit to the consignee's copy of the waybill only if the regulated article is sufficiently described on the certificate, limited permit, or waybill to identify the regulated article.

(b) The certificate or limited permit for the interstate movement of a regulated article must be furnished by the carrier to the consignee at the destination of the regulated article.

(Approved by the Office of Management and Budget under control number 0579-0088)

§ 301.93-9 Costs and charges.

The services of the inspector during normal business hours (8 a.m. to 4:30 p.m., Monday through Friday, except holidays) will be furnished without

⁵Compliance agreement forms are available without charge from the Animal and Plant Health Inspection Service, Plant Protection and Quarantine, Domestic and Emergency Operations, 4700 River Road Unit 134, Riverdale, Maryland 20737-1236, and from local offices of the Animal and Plant Health Inspection Service, which are listed in telephone directories.

⁶See footnote 3 at § 301.93-5(a).